



Cochrane
Library

Cochrane Database of Systematic Reviews

Optimal delivery management for the prevention of early neonatal SARS-CoV-2 infection (Protocol)

Chan CS, Kong JY, Babata KL, Mazzarella K, Adhikari EH, Yeo KT, Hascoët JM, Brion LP

Chan CS, Kong JY, Babata KL, Mazzarella K, Adhikari EH, Yeo KT, Hascoët J-M, Brion LP.
Optimal delivery management for the prevention of early neonatal SARS-CoV-2 infection (Protocol).
Cochrane Database of Systematic Reviews 2021, Issue 6. Art. No.: CD013689.
DOI: [10.1002/14651858.CD013689.pub2](https://doi.org/10.1002/14651858.CD013689.pub2).

www.cochranelibrary.com

Optimal delivery management for the prevention of early neonatal SARS-CoV-2 infection (Protocol)

Copyright © 2021 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.

WILEY

TABLE OF CONTENTS

HEADER	1
REASON FOR WITHDRAWAL FROM PUBLICATION	1
HISTORY	1
SOURCES OF SUPPORT	1

[Intervention Protocol]

Optimal delivery management for the prevention of early neonatal SARS-CoV-2 infection

Christina S Chan^{1a}, Juin Yee Kong^{2b}, Kikelomo L Babata¹, Kelly Mazzarella³, Emily H Adhikari⁴, Kee Thai Yeo², Jean-Michel Hascoët⁵, Luc P Brion⁶

¹Pediatrics / Div. Neonatal-Perinatal Medicine, University of Texas, Southwestern Medical Center, Dallas, Texas, USA. ²Department of Neonatology, KK Women's and Children's Hospital, Singapore, Singapore. ³Pediatrics / Neonatal-Perinatal Medicine, University of Texas, Southwestern Medical Center, Dallas, Texas, USA. ⁴Department of Obstetrics and Gynecology, University of Texas, Southwestern Medical Center, Dallas, Texas, USA. ⁵Neonatology, Maternité Régionale Chru Nancy, Nancy, France. ⁶Division of Neonatal-Perinatal Medicine, University of Texas Southwestern at Dallas, Dallas, Texas, USA

^aThese authors contributed equally to this work.. ^bThese authors contributed equally to this work.

Contact address: Christina S Chan, christina.chan@utsw.edu.

Editorial group: Cochrane Neonatal Group.

Publication status and date: Withdrawn from publication for reasons stated in the review, published in Issue 6, 2021.

Citation: Chan CS, Kong JY, Babata KL, Mazzarella K, Adhikari EH, Yeo KT, Hascoët J-M, Brion LP. Optimal delivery management for the prevention of early neonatal SARS-CoV-2 infection (Protocol). *Cochrane Database of Systematic Reviews* 2021, Issue 6. Art. No.: CD013689. DOI: [10.1002/14651858.CD013689.pub2](https://doi.org/10.1002/14651858.CD013689.pub2).

Copyright © 2021 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.

REASON FOR WITHDRAWAL FROM PUBLICATION

We are withdrawing this protocol because it is out of date and does not meet the current methodological standards of Cochrane.

The editorial group responsible for this previously published document have withdrawn it from publication.

HISTORY

Protocol first published: Issue 7, 2020

SOURCES OF SUPPORT

Internal sources

- UT Southwestern Medical Center, Dallas, TX, USA
Division on Neonatal-Perinatal Medicine

External sources

- Vermont Oxford Network, USA

Cochrane Neonatal Reviews are produced with support from Vermont Oxford Network, a worldwide collaboration of health professionals dedicated to providing evidence-based care of the highest quality for newborn infants and their families.